

ARTHROSCOPY

THE JOURNAL OF ARTHROSCOPIC AND RELATED SURGERY

Official Journal of the Arthroscopy Association of North America
International Society of Arthroscopy, Knee Surgery, and Orthopaedic Sports Medicine
International Society for Hip Arthroscopy

Volume 30 • Number 9

September 2014

CONTENTS

-
- | | | |
|------------------|-------------|--|
| EDITORIAL | 1045 | The Fall Classic
<i>James H. Lubowitz, Matthew T. Provencher, Michael J. Rossi, and Jefferson C. Brand</i> |
|------------------|-------------|--|
-
- | | | |
|------------------------------|-------------|---|
| LETTERS TO THE EDITOR | 1049 | The Deadman Theory Is Alive and Well
<i>Stephen S. Burkhart</i> |
| | 1050 | Critical Comments and Questions Regarding the Article “Serial Assessment of Weight-Bearing Lower Extremity Alignment Radiographs After Open-Wedge High Tibial Osteotomy”
<i>Steffen Schröter and Atesch Ateshrang</i> |
| | 1051 | Author’s Reply
<i>Yong Seuk Lee, Jae Ho Kwon, and Kyung Wook Nha</i> |
| | 1052 | Letter to the Editor Regarding Our Article “Properties of Biologic Scaffolds and Their Response to Mesenchymal Stem Cells”
<i>Augustus D. Mazzocca and Knut Beitzel, on behalf of the authors</i> |

On the Cover: This is a view of left hip iliopsoas tendinitis, as viewed from the anterolateral portal. The labrum is in front of the iliopsoas, at the top right portion of the image. The rounded femoral head is visible at the bottom. The right hand portion of the picture is medial, and a black flexible probe is sweeping the capsule laterally (to the left), exposing the entirety of the iliopsoas tendon. The tendon is abnormally thickened, and there are erythematous striations running longitudinally along the tendon, which is abnormal for a noninflamed tendon. This arthroscopic image was taken before iliopsoas release. Courtesy of Derek Ochiai, M.D.

